

Class: Local Anesthetics
 Mechanism of Action: Blockade of voltage-gated sodium channels

Pharmacokinetics: Rapid onset, short duration

Pharmacodynamics: Reversible blockade of Na⁺ channels, preventing action potential propagation

Indications: Topical anesthesia for minor surgical procedures, dental procedures, and diagnostic tests

Contraindications: Hypersensitivity to the drug, severe systemic disease, and concurrent use of other CNS depressants

Adverse Effects: Local irritation, allergic reactions, and systemic toxicity (CNS depression, hypotension)

Drug Interactions: Additive effects with other CNS depressants and sedatives

Summary: Local anesthetics are essential for pain management in various clinical settings

| | | | | |
|--|--|--|--|--|
| <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> |
| <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> |
| <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> | <p>История бытового искусства в России</p> |